

Produktinformation

Sonoswiss Cleaner T5 (SW-C T5)

Liquid, Mildly acid concentrate for cleaning of nonferrous
& light metals, stainless steels, glass, plastics and for passivation
Of chromium containing steels.
With mildly deoxidizing effect for non-ferrous metals.

Description

Suitable as well for the slightly acid ultrasonic cleaning of non-ferrous and light metals, stainless steels, glass plastics as for the passivation of surfaces of stainless and chromium-containing steels. Brass and copper alloys are brightened up. Removes polishing media, mineral grease and oil, oxide layers (e.g. verdigris), rust and lime. The passivating action is based on the removal of iron atoms by dissolution from the surface and the increase of relative chromium content at the surface.

Application and dosage

Cleaning: 1 - 5 vol% with water, temp.: 30 - 80°C, about 2 min with ultrasonics.
For rust-sensitive parts use rinsing bathes with added agent *Sonoswiss SW-AK*, 0.1%, as corrosion protecting agent immediately after finishing the cleaning step.
Passivation: 10 - 20 vol%, 10 - 30 min at 30 - 80°C (e. g. AISI 316: 20 min at 70°C).
We recommend: Passivation or acid cleaning process a f t e r alkaline cleaning in all cases of contamination with natural (vegetable or animal) oils or greases.

Safety recommendations

Sonoswiss Cleaner T5 (SW-C T5) is classified as hazardous according to the regulation (EC) No 1272/2008 [GHS] (eye irritation). Observe also with respect to this the hints indicated in the Safety Data Sheet and always handle chemicals with care.

Physical-chemical characterisation

Density: 1.082 g/ccm, pH (concentrate): 1,6.
Ingredients according to Annex VII, A, EC-Regulation 648/2004 (detergents):
<5% anionic surfactants, <5% non-ionic surfactants, benzisothiazolinone (<5ppm), methylisothiazolinone (<5ppm).
Does not contain phosphates or silicates. Contains citric acid.

Disposal

The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.
The used cleaning solution can be fed into the public sewage system after neutralisation; observe the local pH limit values and make sure that the contamination contained in the used cleaning solution complies with the local sewage regulations.
European waste code: 20 01 30, „detergents other than those mentioned in 20 01 29“.

Volumes, storage and transport

Available volumes: 2.5 litre, 10 litre and 25 litre can.
Store in closed original container at a temperature between -5°C and +30°C, protected from heat and direct solar radiation. Do not store with alkalis.
Shelf life: 3 years from date of production (see lot on label).
Classification for all means of transport: no hazardous material.
